Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT)
Response to Restriction Requirement
Dated: May 7, 2008

Page 2 of 25

## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

Claim 1 (currently amended): A substituted p-diaminobenzene derivative of the general formula I

wherein:

s is 0 or 1;

U is O, S, SO<sub>2</sub>, SONR<sup>11</sup>, CO-O or CONR<sup>11</sup>; wherein:

 $R^{11}$  is hydrogen,  $C_{1-6}$ -alk(en/yn)yl,  $C_{3-8}$ -cycloalk(en)yl, or  $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl; or

R<sup>2</sup> and R<sup>11</sup> taken together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring, which optionally contains 1, 2 or 3 further heteroatoms;

q is 0 or 1;

X is CO or SO<sub>2</sub>; with the proviso that q is 0 when X is SO<sub>2</sub>;

Z is O or S;

 $R^1 \text{ is hydrogen, } C_{1\text{-}6}\text{-}alk(\text{en/yn})yl, C_{3\text{-}8}\text{-}cycloalk(\text{en})yl, C_{3\text{-}8}\text{-}cycloalk(\text{en})yl-C_{1\text{-}6}\text{-}alk(\text{en/yn})yl, acyl, hydroxy-$C_{1\text{-}6}\text{-}alk(\text{en/yn})yl, hydroxy-$C_{3\text{-}8}\text{-}cycloalk(\text{en})yl, hydroxy-$C_{3\text{-}8}\text{-}cycloalk(\text{en})yl-$C_{1\text{-}6}\text{-}alk(\text{en/yn})yl, halo-$C_{3\text{-}8}\text{-}cycloalk(\text{en})yl, halo-$C_{3\text{-}8}\text{-}cycloalk(\text{en})yl-$C_{1\text{-}6}\text{-}alk(\text{en/yn})yl, cyano-$C_{3\text{-}8}\text{-}cycloalk(\text{en})yl or cyano-$C_{3\text{-}8}\text{-}cycloalk(\text{en})yl-$C_{1\text{-}6}\text{-}alk(\text{en/yn})yl;}$ 

Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT) Response to Restriction Requirement Dated: May 7, 2008 Page 3 of 25

O or S:

 $R^2 \text{ is hydrogen, } C_{1\text{-}6\text{-}alk(en/yn)yl, } C_{3\text{-}8\text{-}cycloalk(en)yl, } C_{3\text{-}8\text{-}cycloalk(en)yl-} C_{1\text{-}6\text{-}alk(en/yn)yl, } Ar, Ar-C_{1\text{-}6\text{-}alk(en/yn)yl, } Ar-C_{3\text{-}8\text{-}cycloalk(en)yl, } Ar-C_{3\text{-}8\text{-}cycloalk(en)yl-} C_{1\text{-}6\text{-}alk(en/yn)yl, } Ar-C_{3\text{-}8\text{-}cycloalk(en)yl, } Ar-$ 

 $R^{10} \text{ and } R^{10'} \text{ are } \underline{\text{each}} \underline{\text{independently hydrogen, } C_{1-6}\text{-alk(en/yn)yl, } C_{3-8}\text{-} \\ \text{cycloalk(en)yl, } C_{3-8}\text{-cycloalk(en)yl-}C_{1-6}\text{-alk(en/yn)yl, hydroxy-}C_{1-6}\text{-alk(en/yn)yl, hydroxy-}C_{3-8}\text{-cycloalk(en)yl-}C_{1-6}\text{-alk(en/yn)yl, halo-}C_{1-6}\text{-alk(en/yn)yl, halo-}C_{3-8}\text{-cycloalk(en)yl-}C_{1-6}\text{-alk(en/yn)yl, cyano-}C_{1-6}\text{-alk(en/yn)yl, cyano-}C_{3-8}\text{-cycloalk(en)yl-}C_{1-6}\text{-alk(en/yn)yl}[[,]]; or$ 

R<sup>10</sup> and R<sup>10</sup> taken together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring, which optionally contains 1, 2 or 3 further heteroatoms; with the proviso provided that:

when R<sup>2</sup> is halogen or cyano, then s is 0; and

provided that U is O or S when s is 1 and R<sup>2</sup> is a hydrogen atom or acyl, then U is

 $R^3 \ is \ C_{1-6}-alk(en/yn)yl, \ C_{3-8}-cycloalk(en)yl, \ heterocycloalk(en)yl, \ C_{3-8}-cycloalk(en)yl-C_{1-6}-alk(en/yn)yl-C_{3-8}-cycloalk(en)yl, \ C_{1-6}-alk(en/yn)yl-heterocycloalk(en)yl, \ heterocycloalk(en)yl-C_{1-6}-alk(en/yn)yl, \ Ar, \ Ar-C_{1-6}-alk(en/yn)yl, \ Ar-C_{3-8}-cycloalk(en)yl, \ Ar-C_{3-8}-cycloalk(en)yl, \ Ar-C_{1-6}-alk(en/yn)yl-C_{3-8}-cycloalk(en)yl, \ Ar-C_{1-6}-alk(en/yn)yl-C_{1-6}-alk(en/yn)yl-C_{1-6}-alk(en/yn)yl-C_{1-6}-alk(en/yn)yl-C_{3-8}-cycloalk(en)yl, \ C_{1-6}-alk(en/yn)yl-C_{3-8}-cycloalk(en)yl, \ C_{1-6}-alk(en/yn)yl-C_{3-8}-cycloalk(en)yl, \ Ar-oxy-C_{1-6}-alk(en/yn)yl, \ Ar-C_{1-6}-alk(en/yn)yloxy-C_{1-6}-alk(en/yn)yl-C_{1-6}-alk(en/yn)yl-C_{1-6}-alk(en/yn)yl-C_{1-6}-alk(en/yn)yl-C_{1-6}-alk(en/yn)yl, \ C_{3-8}-cycloalk(en)yl, \ hydroxy-C_{1-6}-alk(en/yn)yl, \ hydroxy-C_{$ 

Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT) Response to Restriction Requirement Dated: May 7, 2008 Page 4 of 25

 $C_{3-8}\text{-cycloalk}(en)yl-C_{1-6}\text{-alk}(en/yn)yl, \ hydroxy-C_{1-6}\text{-alk}(en/yn)yl-C_{3-8}\text{-cycloalk}(en)yl, \ hydroxy-C_{1-6}\text{-alk}(en/yn)yl-heterocycloalk}(en)yl, \ halo-C_{1-6}\text{-alk}(en/yn)yl, \ halo-C_{3-8}\text{-cycloalk}(en)yl, \ halo-C_{3-8}\text{-cycloalk}(en)yl-C_{1-6}\text{-alk}(en/yn)yl, \ halo-C_{1-6}\text{-alk}(en/yn)yl-C_{3-8}\text{-cycloalk}(en)yl, \ halo-C_{1-6}\text{-alk}(en/yn)yl-Ar, \ halo-C_{1-6}\text{-alk}(en/yn)yl-Ar, \ halo-C_{3-8}\text{-cycloalk}(en)yl-C_{1-6}\text{-alk}(en/yn)yl-Ar, \ halo-C_{1-6}\text{-alk}(en/yn)yl-C_{3-8}\text{-cycloalk}(en)yl-Ar, \ cyano-C_{1-6}\text{-alk}(en/yn)yl, \ cyano-C_{3-8}\text{-cycloalk}(en)yl, \ cyano-C_{1-6}\text{-alk}(en/yn)yl-C_{3-8}\text{-cycloalk}(en)yl, \ cyano-C_{1-6}\text{-alk}(en/yn)yl-C_{3-8}\text{-cycloalk}(en)yl, \ cyano-C_{1-6}\text{-alk}(en/yn)yl-C_{3-8}\text{-cycloalk}(en)yl, \ acyl-C_{1-6}\text{-alk}(en/yn)yl, \ acyl-C$ 

 $R^{12} \text{ and } R^{12} \text{ are } \underline{\text{each}} \text{ independently hydrogen, } C_{1-6}\text{-alk(en/yn)yl, } C_{3-8}\text{-cycloalk(en)yl-} C_{1-6}\text{-alk(en/yn)yl, } Ar, Ar-C_{1-6}\text{-alk(en/yn)yl, } Ar-C_{3-8}\text{-cycloalk(en)yl-} C_{1-6}\text{-alk(en/yn)yl, } Ar-heterocycloalk(en)yl, } Ar-oxy-C_{1-6}\text{-alk(en/yn)yl, } Ar-oxy-C_{3-8}\text{-cycloalk(en)yl-} C_{1-6}\text{-alk(en/yn)yl, } Ar-oxy-C_{3-8}\text{-cycloalk(en)yl-} C_{1-6}\text{-alk(en/yn)yl, } Ar-oxy-C_{3-8}\text{-cycloalk(en)yl, } hydroxy-C_{3-8}\text{-cycloalk(en)yl, } hydroxy-C_{3-8}\text{-cycloalk(en)yl, } hydroxy-C_{3-8}\text{-cycloalk(en)yl, } halo-C_{3-8}\text{-cycloalk(en)yl, } halo-C_{3-8}\text{-cycloalk(en)yl, } halo-C_{3-8}\text{-cycloalk(en)yl, } or cyano-C_{3-8}\text{-cycloalk(en)yl-} C_{1-6}\text{-alk(en/yn)yl, } cyano-C_{1-6}\text{-alk(en/yn)yl, } cyano-C_{3-8}\text{-cycloalk(en)yl, } or cyano-C_{3-8}\text{-cycloalk(en)yl-} C_{1-6}\text{-alk(en/yn)yl} [[,]]; or$ 


 $R^{12}$  and  $R^{12}$  taken together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring, which optionally contains 1, 2 or 3 further heteroatoms; with the proviso that when  $R^3$  is  $NR^{12}R^{12}$  then q is 0; and

Y represents-is a group of formula XXIV, XXVI, XXVII, XXXXII, OF XXXXII:

Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT)
Response to Restriction Requirement

Dated: May 7, 2008

Page 5 of 25



**XXVII** 

wherein:

" represents a bond attaching the group represented by Y to the carbon atom;

W is 0 or S;

V is N, C or CH; and

T is N, NH or O;

a is 0, 1, 2 or 3;

b is 0, 1,2, 3 or 4;

c is 0 or 1;

Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT) Response to Restriction Requirement Dated: May 7, 2008 Page 6 of 25

> d is 0, 1, 2 or 3; e is 0, 1 or 2; f is 0, 1, 2, 3, 4 or 5; g is 0, 1, 2, 3 or 4; h is 0, 1, 2 or 3; j is 0, 1 or 2; k is 0, 1, 2 or 3; and

each  $R^5$  is independently  $C_{1-6}$ -alk(en/yn)yl,  $C_{3-8}$ -cycloalk (en)yl,  $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, Ar, Ar- $C_{1-6}$ -alk(en/yn)yl, Ar- $C_{3-8}$ -cycloalk(en)yl, Ar- $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, Ar-oxy- $C_{3-8}$ -cycloalk(en)yl,  $C_{1-6}$ -alk(en/yn)yl-heterocycloalk(en)yl, Ar-oxy- $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, acyl,  $C_{1-6}$ -alk(en/yn)yloxy,  $C_{3-8}$ -cycloalk(en)yloxy,  $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yloxy,  $C_{1-6}$ -alk(en/yn)yloxy-carbonyl, halogen, halo- $C_{1-6}$ -alk(en/yn)yl, halo- $C_{3-8}$ -cycloalk(en)yl, halo- $C_{3-8}$ -cycloalk(en)yl, cyano- $C_{3-8}$ -cycloalk(en)yl,  $C_{1-6}$ -alk(en/yn)yl,  $C_{1-6}$ -alk

two adjacent R<sup>5</sup> groups taken together with the aromatic group form a 5-8 membered ring, which optionally contains one or two heteroatoms; wherein:

 $R^6$  and  $R^{6'}$  are <u>each</u> independently hydrogen,  $C_{1-6}$ -alk(en/yn)yl,  $C_{3-8}$ -cycloalk(en)yl,  $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl or Ar;

 $R^7$  and  $R^{7^\circ}$  are <u>each</u> independently hydrogen,  $C_{1-6}$ -alk(en/yn)yl,  $C_{3-8}$ -cycloalk(en)yl,  $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, Ar, heterocycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, heterocycloalk(en)yl- $C_{3-8}$ -cycloalk(en)yl- $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, heterocycloalk(en)yl-Ar or acyl; or

R<sup>7</sup> and R<sup>7</sup> taken together with the nitrogen atom form a 5-8 membered saturated or unsaturated ring which optionally contains 1, 2 or 3 further heteroatoms; and

Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT) Response to Restriction Requirement Dated: May 7, 2008 Page 7 of 25

 $R^8$  is hydrogen,  $C_{1-6}$ -alk(en/yn)yl,  $C_{3-8}$ -cycloalk(en)yl,  $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, Ar or -NR $^9$ R $^9$ '; wherein:

 $R^9 \ and \ R^{9'} \ are \ \underline{each} \ independently \ hydrogen, \ C_{1-6}-alk(en/yn)yl, \ C_{3-8}-cycloalk(en)yl-C_{1-6}-alk(en/yn)yl;$ 

or salts thereof.

Claim 2 (previously presented): The compound according to claim 1, wherein  $R^1$  is  $C_{1-6}$ -alk(en/yn)yl or a hydrogen atom.

Claim 3 (previously presented): The compound according to claim 1, wherein s is 0.

Claim 4 (previously presented): The compound according to claim 1, wherein s is 1.

Claim 5 (currently amended): The compound according to Claim 4, wherein U is an oxygen atom.

Claim 6 (currently amended): The compound according to claim 1, wherein  $R^2$  is hydrogen,  $C_1$ . 6-alk(en/yn)yl,  $C_{3-8}$ -cycloalk(en)yl, Ar, Ar- $C_{1-6}$ -alk(en/yn)yl, halogen, halo- $C_{1-6}$ -alk(en/yn)yl or cyano; with the provisos provided that when  $R^2$  is halogen or cyano, then s is 0; and provided that U is O or S when s is 1 and  $R^2$  is a hydrogen atom, then U is O or S.

Claim 7 (previously presented): The compound according to claim 1, wherein Z is an oxygen atom.

Claim 8 (currently amended): The compound according to claim 1, wherein Z is a-sulphur sulfur atom.

Claim 9 (previously presented): The compound according to claim 1, wherein q is 0.

Claim 10 (previously presented): The compound according to claim 1, wherein q is 1.

Claim 11 (previously presented): The compound according to claim 1, wherein X is CO.

Claim 12 (previously presented): The compound according to claim 1, wherein  $R^3$  is  $C_{1-6}$ -alk(en/yn)yl,  $C_{3-8}$ -cycloalk(en)yl,  $C_{3-8}$ -cycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, heterocycloalk(en)yl- $C_{1-6}$ -alk(en/yn)yl, Ar-oxy- $C_{1-6}$ -alk(en/yn)yl, Ar- $C_{1-6}$ -alk(en/yn)yl, Ar- $C_{1-6}$ -alk(en/yn)yloxy- $C_{1-6}$ -alk(en/yn)yl,  $C_{1-6}$ -alk(en/yn)yl, halo- $C_{1-6}$ -alk(en/yn)yl,

Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT) Response to Restriction Requirement Dated: May 7, 2008 Page 8 of 25

alk(en/yn)yl,  $NR^{12}R^{12}$ , optionally substituted  $NR^{12}R^{12}$ - $C_{1-6}$ -alk(en/yn)yl, or optionally substituted  $NR^{12}R^{12}$ - $C_{3-8}$ -cycloalk(en)yl.

Claim 13 (currently amended): The compound according to Claim 12, wherein  $R^{12}$  and  $R^{12}$  are each independently hydrogen,  $C_{1-6}$ -alk(en/yn)yl or Ar.

Claims 14-20 (cancelled).

Claim 21 (currently amended): The compound according to claim 1 [[19]], wherein V is CH. Claims 22-24 (cancelled).

Claim 25 (currently amended): The compound according to claim 1, wherein each  $R^5$  is independently [[a]]  $C_{1-6}$ -alk(en/yn)yl,  $C_{1-6}$ -alk(en/yn)yl-heterocycloalk(en)yl, Ar,  $C_{1-6}$ -alk(en/yn)yloxy, Ar-oxy,  $C_{1-6}$ -alk(en/yn)yloxy-carbonyl, halogen, halo- $C_{1-6}$ -alk(en/yn)yl, NR<sup>7</sup>R<sup>7</sup>, S-R<sup>8</sup> or SO<sub>2</sub>R<sup>8</sup>[[,]]; or two adjacent R<sup>5</sup> groups taken together with the aromatic group form a 5-8 membered ring, which optionally contains one or two heteroatoms.

Claim 26 (previously presented): The compound according to claim 25, wherein both  $R^7$  and  $R^{7'}$  are  $C_{1-6}$ -alk(en/yn)yl.

Claim 27 (currently amended): The A compound according to Claim 25, wherein [[W]]  $R^8$  is selected from the group consisting of  $C_{1-6}$ -alk(en/yn)yl and or Ar.

Claim 28 (currently amended) The compound according to claim 1, wherein the said compound being is:

{4-[(Benzofuran-2 ylmethyl) amino] 2-methylphenyl}-carbamic acid propyl ester;
{4-[(5-Chloro-thiophen-2 ylmethyl) amino] 2-methylphenyl}-carbamic acid ethyl ester;
{4-[(Benzo[b]thiophen-2 ylmethyl) amino]-2-methylphenyl}-carbamic acid ethyl ester;
{2-Methyl-4-[(5-phenyl-thiophen-2 ylmethyl) amino]-phenyl}-carbamic acid ethyl ester;
{4-(4-Isopropyl-benzylamino)-2-methylphenyl}-carbamic acid ethyl ester;
{4-(4-Fluoro-benzylamino)-2-methylphenyl}-carbamic acid propyl-ester;

(4-{[4 (4 Chloro benzenesulfonyl) 3 methyl-thiophen-2-ylmethyl] amino} 2 methylphenyl) carbamic acid propyl ester: {4-{(5-Methyl-thiophen-2-ylmethyl)-amino}-2-methylphenyl}-carbamic acid propyl-ester; [4-[(5-Bromo-thiophen-2-ylmethyl) amino] 2-methylphenyl}-carbamic acid propyl ester; {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester; {4-[(Benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester; {2-Methyl-4-[(5-phenyl-thiophen-2-ylmethyl)-amino}-phenyl}-carbamic acid-propyl-ester; [4 (4 Isopropyl benzylamino) 2 methylphenyl] carbamic acid propyl ester; [4-[(5 Bromo thiophen-2 ylmethyl) amino] 2 chlorophenyl] carbamic acid ethyl ester; [4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-chlorophenyl]-carbamic acid ethyl ester: {4-[(Benzo[b]thiophen-2-ylmethyl) amino] 2-chlorophenyl}-carbamic acid ethyl ester; [2-Chloro-4-(4-isopropyl-benzylamino) phenyl] carbamic acid ethyl ester; [2-Chloro-4 (4 fluoro-benzylamino) phenyl] carbamic acid ethyl ester; 2-Chloro-4-{[4-(4-chloro-benzenesulfonyl)-3-methyl-thiophen-2-ylmethyl]-amino}-phenyl)earbamic acid propyl ester: {4-[(5-Methyl-thiophen-2-ylmethyl) amino] 2-chlorophenyl}-carbamic acid propyl ester: {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid propyl ester; {2 Chloro 4 [(5 chloro thiophen 2 ylmethyl) amino] phenyl} carbamic acid propyl ester; {4-[(Benzo[b]thiophen-2-ylmethyl)-amino]-2-chlorophenyl}-earbamic acid propyl ester; {4-[(Benzofuran-2-ylmethyl)-amino]-2-chlorophenyl}-carbamic acid propyl-ester; {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-cyanophenyl}-carbamic acid ethyl ester; (4-(Benzo[b]thiophen-2-ylmethyl)-amino]-2-methoxyphenyl}-carbamic acid methyl ester; {4 [(5 Bromo thiophen 2 ylmethyl) amino] 2 methoxyphenyl} carbamic acid isopropyl ester;

[4-[(4-Fluoro-benzyl)-(methyl)amino]-2-methoxyphenyl}-carbamic acid propyl ester; [4-(Benzo[b]thiophen-2-ylmethyl-(methyl)amino)-2-methoxy-phenyl]-carbamic acid-propyl ester: {4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino}-2-methoxy-phenyl}-carbamic acid-propyl ester; {4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-methoxy-phenyl}-carbamic acid-propyl ester; {2-Methoxy-4-[methyl-(5-methyl-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester: {4-[(4-Fluorobenzyl)-(methyl)-amino]-2-isopropoxyphenyl}-carbamic acid ethyl ester; [4-(3-Fluorobenzylamino)-2-methoxyphenyl]-carbamic-acid ethyl ester; [4-(4-Isopropylbenzylamino)-2-methoxyphenyl]-carbamic acid ethyl ester: {2-Methoxy-4-[(3-methylthiophen-2-ylmethyl) amino] phenyl} carbamic acid ethyl ester; [4-(2,4-Difluorobenzylarnino)-2-methoxyphenyl]-carbamic acid ethyl-ester; [2-Cyclopentyloxy-4-(4-methoxybenzylamino)-phenyl]-carbamic acid ethyl ester; [2-Cyclopentyloxy-4 (3-fluoro-2-methylbenzylamino)-phenyl]-carbamic acid ethyl ester; [4-(3-Fluoro-2-methylbenzylamino)-2-phenethyloxyphenyl]-carbamic acid ethyl ester; [2-Benzyloxy-4 (3-fluoro-2-methylbenzylamino)-phenyl]-carbamic acid ethyl ester; [2-Benzyloxy 4-(4-methylsulfanylbenzylamino) phenyl] carbamic acid ethyl ester; {4-[(Benzo[b]thiophen-3-ylmethyl)-amino]-2-cyclopentyloxyphenyl}-carbamic acid ethyl ester; [4-(3-Fluoro-2-methylbenzylamino) 2-isopropoxyphenyl] carbamic acid ethyl ester: [2-Benzyloxy-4 (3-methoxybenzylamino)-phenyl]-carbamic acid ethyl ester; {4 [(Benzo[1,3]dioxol-5-ylmethyl) amino] 2-isopropoxyphenyl}-carbamic acid ethyl ester;

{4-[(5-Bromo thiophen-2 ylmethyl) amino] phenyl}-carbamic acid propyl ester:

{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester;

[2-Cyano-4(4-isopropylbenzylamino)-phenyl]-carbamic acid propyl-ester;

{4-[(5-Bromo thiophen 2 ylmethyl) (methyl)amino] 2 methylphenyl} carbamic acid propyl ester;

{4-[(4-Isopropylbenzyl) (methyl)amino]-2-methylphenyl}-carbamic acid propyl ester;

{2-Methyl-4-[methyl-(4-trifluoromethyl-benzyl) amino]-phenyl}-carbamic acid propyl ester;

{2-Methyl-4-[methyl-(4-methylsulfanyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;

{4-[(4-tert-Butyl-benzyl) (methyl)amino]-2-chlorophenyl}-carbamic acid ethyl ester;

{2 Chloro 4 [methyl (4 trifluoromethyl benzyl) amino] phenyl} carbamic acid ethyl ester;

{2-Chloro-4-[methyl-(4-methylsulfanyl-benzyl)-amino]-phenyl}-carbamic acid ethyl ester;

{4-[(5-Bromo-thiophen-2-ylmethyl)-(methyl)amino]-2-chlorophenyl}-carbamic acid propyl ester;

{2-Chloro 4-[(5-chloro-thiophen 2-ylmethyl) (methyl)amino] phenyl} carbamic acid propyl ester;

{4-[(4-tert-Butyl-benzyl)-(methyl)amino]-2-chlorophenyl}-carbamic acid propyl ester;

{2-Chloro-4-[methyl-(4-trifluoromethyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;

{4 [(5-Bromo thiophen 2-ylmethyl) (methyl)amino] 2-trifluoromethyl-phenyl} carbamic acid ethyl ester;

{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino] 2 trifluoromethyl-phenyl}-carbamic acid ethyl-ester;

{4-[(4-Isopropyl-benzyl)-(methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester;

{4-[(4-tert-Butyl-benzyl) (methyl)amino]-2-trifluoromethyl-phenyl} carbamic acid ethyl ester;

{4-[Methyl-(4-trifluoromethyl-benzyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid ethyl ester:

{4 [Methyl (4 methylsulfanyl benzyl) amino] 2 trifluoromethyl-phenyl} carbamic acid ethyl ester;

{4 [(5-Bromo-thiophen-2-ylmethyl) (methyl)amino] 2 trifluoromethyl-phenyl}-carbamic acid propyl-ester;

{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;

{4-[(4-Isopropyl-benzyl) (methyl)amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;

{4 [(4 tert Butyl-benzyl) (methyl)amino] 2 trifluoromethyl-phenyl}-carbamic acid propyl ester;

{4-[Methyl (4-trifluoromethyl-benzyl)amino] 2-trifluoromethyl-phenyl} carbamic acid propyl ester;

{4-[Methyl-(4-methylsulfanyl-benzyl)-amino]-2-trifluoromethyl-phenyl}-carbamic acid propyl ester;

{4-[(5-Bromo thiophen-2-ylmethyl) (methyl)amino]-2-cyanophenyl}-carbamic acid propylester;

{4-[(4-tert-Butyl-benzyl)-(methyl)amino]-2-eyanophenyl}-earbamic acid propyl ester;

{2-Cyano-4-[methyl-(4-trifluoromethyl-benzyl)-amino]-phenyl}-carbamic acid propyl ester;

{2-Bromo-4-[(5-bromo-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid propyl ester;

{2-Bromo 4-[(5-bromo-thiophen-2-ylmethyl)-(methyl)amino]-phenyl} carbamic acid propyl ester;

{2-Bromo-4-[(4-isopropylbenzyl)-(methyl)amino] phenyl}-carbamic acid propyl ester;

{2-Bromo-4-[(4-tert-butyl-benzyl)-(methyl)amino]-phenyl}-carbamic acid propyl ester;

{2-Bromo-4-[methyl-(4-trifluoromethyl-benzyl)-amino] phenyl}-carbamic acid-propyl ester;

[2-Iodo-4 (4-isopropyl-benzylamino)-phenyl]-carbamic acid-propyl ester;

[4-(4-tert-Butyl-benzylamino)-2-iodophenyl]-carbamic acid propyl ester;

[2-lodo 4 (4-trifluoromethyl-benzylamino) phenyl]-carbamic acid propyl ester;

[2-lodo-4 (4-methylsulfanyl-benzylamino)-phenyl]-carbamic acid propyl-ester; {2-Iodo-4-[4-(4-methylpiperazin-1-yl)-benzylamino}-phenyl}-carbamic acid-propyl ester; [4-[(5-Bromo-thiophen-2-ylmethyl) amino] 2-trifluoromethyl-phenyl]-carbamic acid ethylester; [4-[(5-Chloro-thiophen-2-ylmethyl) amino] 2-trifluoromethyl-phenyl] carbamic acid ethyl ester: [4-(4-tert-Butyl-benzylamino)-2-trifluoromethyl-phenyl]-carbamic acid ethyl-ester; [4-(4-Methylsulfanyl-benzylamino)-2-trifluoromethyl-phenyl] carbamic acid ethyl ester; [4-[(5-Bromo thiophen-2 ylmethyl) amino] 2-trifluoromethyl phenyl) carbamic acid propyl ester: [4-(4-Isopropylbenzylamino) 2-trifluoromethyl-phenyll-carbamic acid propyl-ester: [4-(4-tert-butyl-benzylamino)-2-trifluoromethyl-phonyl]-carbamic-acid propyl-ester; [2-Trifluoromethyl-4 (4 trifluoromethyl-benzylamino) phenyl]-carbamic acid propyl-ester; [4-(4-Dimethylamino-benzylamino)-2-trifluoromethyl-phenyl]-earbamic acid propyl ester; [4-(4-Methylsulfanyl-benzylamino)-2-trifluoromethyl-phenyl]-carbamic acid-propyl ester; {4-[(5-Bromo-thiophen-2-ylmethyl)-amino]-2-cyanophenyl}-carbamic acid propyl ester; [4-[(5-Chloro-thiophen-2-ylmethyl)-amino] 2-cyanophenyl]-carbamic acid propyl ester; [2-Cyano 4 (4-trifluoromethyl-benzylamino) phenyl] carbamic acid propyl ester; {2-Bromo-4-[(5-bromo-thiophen-2-ylmethyl)-amino] phenyl}-carbamic acid propyl ester; {2-Bromo-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-carbamic acid propyl ester; [2-Bromo-4-(4-isopropylbenzylamino)-phenyl]-carbamic acid-propyl ester; [2-Bromo 4 (4-tert-butyl-benzylamino) phenyl] carbamic acid propyl ester; [2-Bromo 4 (4-trifluoromethyl-benzylamino) phenyl] carbamic acid propyl ester; [2-Bromo 4-(4-methylsulfanyl-benzylamino)-phenyl]-carbamic acid propyl ester;

N-{4-[(5-Bromo-thiophen-2-ylmethyl)-amino] 2-methoxyphenyl} butyramide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-methoxyphenyl}-butyramide;

N-[4 (4-Isopropylbenzylamino) 2-methoxyphenyl]-butyramide;

N-[4-(4 tert-Butyl-benzylamino) 2 methoxyphenyl]-butyramide;

N-[2-Methoxy-4-(4-trifluoromethyl-benzylamino) phenyl]-butyramide;

{4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-furan-2-yl-phenyl}-carbamic acid propyl ester;

[2-Furan-2-yl-4-(4-isopropylbenzylamino) phenyl] carbamic acid propyl ester;

[5 (4-Fluorobenzylamino) biphenyl 2-yl] carbamic acid propyl ester;

{5-[(5-Chloro-thiophen-2-ylmethyl)-amino]-biphenyl-2-yl}-carbamic acid propyl ester;

[5-(4-Isopropylbenzylamino) biphenyl-2-yl]-carbamic acid propyl ester:

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-phenylacetamide;

N-{2 Chloro-4-[(5 chloro-thiophen-2 ylmethyl) (methyl)amino]-phenyl}-3,3-dimethylbutyramide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-3-phenylpropionamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-butyramide;

Pentanoic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-amide;

Cyclopropanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl) amino]-phenyl}-amide;

Cyclobutanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-amide;

Cyclopentanecarboxylic acid {2 chloro 4 [(5-chloro thiophen-2-ylmethyl) (methyl)amino] phenyl}-amide;

Cyclohexanecarboxylic acid {2-chloro 4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phonyl}amide;

N {2 Chloro 4 [(5 chloro thiophen 2 ylmethyl) (methyl)amino] phenyl} 2 thiophen 2 ylacetarnide;

N-{2 Chloro-4 [(5 chloro-thiophen 2 ylmethyl) (methyl)amino] phenyl} -2 (3 methoxy-phenyl) -acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-2-(4-chloro-phenyl)-acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-2-(4-methoxy-phenyl)-acetamide;

N-{2 Chloro 4 [(5-chloro thiophen 2 ylmethyl) (methyl)amino] phenyl} 2 (4 fluoro phenyl) acetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-3-cyclohexylpropionamide;

N-{2 Chloro 4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2,2-dimethylpropionamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-phenoxyacetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-phenylacetamide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-3,3-dimethylbutyramide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-butyramide;

Pentanoic acid {2-chloro 4-[(5-chloro-thiophen-2-vlmethyl)-amino]-phenyl}-amide:

Cyclopropanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl) amino] phenyl}-amide;

Cyclobutanecarboxylic acid (2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

Cyclopentanecarboxylic acid {2-chloro 4 [(5-chloro-thiophen-2-ylmethyl) amino] phenyl}-amide;

Cyclohexanecarboxylic acid {2-chloro-4-[(5-chloro-thiophen-2-ylmethyl) amino] phenyl}-amide;

N {2 Chloro 4 [(5 chloro-thiophen 2 ylmethyl) amino] phenyl} -2 thiophen 2 yl acetamide;
N {2 Chloro 4 [(5 chloro-thiophen 2 ylmethyl) amino] phenyl} -2 (3 methoxyphenyl) acetamide:

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-(4-chlorophenyl)-acetamide;
N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2-(4-methoxyphenyl)-acetamide:

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2 (4-fluorophenyl)-acetamide; 2,3-Dihydro-benzo[1,4]dioxine-6-earboxylie acid-{2-chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-amide;

2,3-Dihydro-benzofuran-5 carboxylic acid {2 chloro 4 [(5 chloro-thiophen-2ylmethyl) amino]-phenyl}-amide;

N-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-3-cyclohexylpropionamide;
N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-methyl-phenyl}-2,2-dimethylpropionamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-methyl-phenyl}-2-phenylacetamide; N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-methyl-phenyl}-3,3-dimethylbutyramide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methyl-phenyl}-3-phenylpropionamide;

acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2 methyl-phenyl}-butyramide;
2,2,2 Trichloro N-{4-[(5-chloro-thiophen-2-ylmethyl) (rnethyl)amino]-2 methyl-phenyl}-

Cyclopropanecarboxylic acid {4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino] 2-methyl-phenyl} amide;

Dated: May 7, 2008 Page 17 of 25

Cyclobutanecarboxylic acid {4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-2 methylphenyl}-amide;

Cyclopentanecarboxylic acid {4 [(5 chloro thiophen 2 ylmethyl) (methyl)amino] 2-methylphenyl}-amide;

Cyclohexanecarboxylic acid {4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-amide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-methylphenyl}-2-thiophen-2-ylacetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-methylphenyl}-2-(3-methoxyphenyl)-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-methylphenyl}-malonamic acid methyl-ester;

2-(4-Chlorophenyl) N-{4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino] 2-methylphenyl}-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino]-2-methylphenyl}-2-(4-methoxyphenyl)-acetamide;

N-{4-[(5-Chloro-thiophen-2-ylmethyl) (methyl)amino] 2-methylphenyl}-2-(4-fluorophenyl)-acetarnide;

N {4 [(5-Chloro-thiophen-2-ylmethyl) (methyl)amino] 2-methylphenyl} 3-cyclohexylpropionamide;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid phenyl ester;

{2 Chloro 4 [(5 chloro-thiophen-2 ylmethyl) (methyl)amino] phenyl} carbamic acid benzyl ester;

{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-carbamic acid isobutyl ester;

- {2-Chloro 4-[(5-chloro thiophen 2-ylmethyl)-(methyl)amino} phenyl}-carbamic acid butyl-ester;
- {2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-carbamic acid hexyl ester;
- {2 Chloro 4 [(5 chloro thiophen 2 ylmethyl) (methyl)amino] phenyl} -carbamic acid 4-nitrobenzyl ester;
- {2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-carbamic acid but-3-enyl ester;
- {2 Chloro 4 [(5 chloro thiophen 2 ylmethyl) (methyl)amino] phenyl} carbamic acid but 2 ynyl ester;
- {2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid 2,2-dimethylpropyl ester;
- {2 Chloro 4 [(5 chloro thiophen 2 ylmethyl) (methyl)amino] phenyl} carbamic acid 2 chlorobenzyl ester:
- {2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-earbamic acid 3-chloropropyl ester;
- {2-Chloro 4-[(5-chloro-thiophen-2-ylmethyl)-(methyl)amino]-phenyl}-carbamic acid 2-benzyloxyethyl ester;
- 3-{2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino] phenyl}-1-methyl-1-propyl-urea;
- 1-{2-Chloro 4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-3-(2-fluorophenyl)-urea;
- N-[2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino] phenyl}-2,2,2-trifluoroacetamide;
- N-{2 Chloro-4-[(5-chloro-thiophen-2-ylmethyl)-amino]-phenyl}-2,2,2-trifluoroacetamide;
  N-{5-[(5-Chloro-thiophen-2-ylmethyl)amino]-4'-dimethylamino-biphenyl-2-yl}-2-(4-fluorophenyl)-acetamide;

N-{2 Chloro 4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-2-(4-chlorophenyl)-acetamide:

[4-(3-Fluoro-4-trifluoromethyl-benzylamino) 2-methylphenyl]-carbamic acid ethyl ester:

2-(4-Fluorophenyl)-N-{2-methyl-4-[(6-p-tolyloxypyridin-3-ylmethyl)-amino]-phenyl}-acetamide;

N-[2-Methyl-4-(4-trifluoromethyl-benzylmaino)-phenyll-butyramide:

2-(4-Fluorophenyl)-N-{2-methyl-4-[(6-trifluoromethylpyridin-3-ylmethyl)-amino]-phenyl}-acetamide;

Pentanoic acid {4-[(5-chloro thiophen-2-ylmethyl)-(methyl)amino]-2-methylphenyl}-amide;

3,3-Dimethyl-N-{2-methyl-4-[(6-p-tolyloxypyridin-3-ylmethyl)-amino]-phenyl}-butyramide;

[2-Methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-carbamic acid ethyl ester;

N {2-Chloro-4-[(5-chloro-thiophen-2-ylmethyl) (methyl)amino]-phenyl}-2-(4-chlorophenyl)-propionamide;

[4-(4-Chloro-benzylamino)-2-methylphenyl]-earbamic acid ethyl ester;

{4-[(6-Methoxy-benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid propyl ester;

{4-[(5-Chloro thiophen-2-ylmethyl) amino] 2-quinolin-3-yl-phenyl}-carbamic acid ethyl ester; {4-[(5-Dimethylamino-3-methyl-benzo[b]thiophen-2-ylmethyl) amino]-2-methylphenyl}-carbamic acid propyl ester;

3,3-Dimethyl-N-{2-methyl-4-[(6-trifluoromethylpyridin-3-ylmethyl)-amino]-phenyl}-butyramide;

N-(4-{[6-(4-Cyanophenoxy)-pyridin-3-ylmethyl]-amino}-2-methylphenyl)-2-(4-fluorophenyl)-acetamide;

{2-Benzyloxy-4-[(4-fluorobenzyl)-(methyl)amino]-phenyl}-thiocarbamic acid S-ethyl ester;

{2-Cyclopentyloxy-4-[(4-fluorobenzyl) (methyl)amino] phenyl}-thiocarbamic acid S-ethyl ester;

ester;

- N-{4-[(6-Chloropyridin-3-ylmethyl)-amino]-2-methylphenyl}-2-(4-fluorophenyl)-acetamide; or {4-[(7-Dimethylamino-benzo[b]thiophen-2-ylmethyl)amino]-2-methylphenyl}-carbamic acid propyl ester;
- 1-{2-Cyclopentyloxy-4-[(4-fluorobenzyl) (methyl)amino]-phenyl}-3-ethyl-urea;
- 2-Amino-4-methyl-pentanoic acid [2-methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-amide;

  {4-[(6-Methoxy-benzo[b]thiophen-2-ylmethyl)-amino]-2-methylphenyl}-carbamic acid ethyl
- 2-Amino 4-methyl-pentanoic acid [2-methyl-4-(4-trifluoromethyl-benzylamino) phenyl] amide; 2-(4-Fluorophenyl) N-{2-methyl-4-[(4-methyl-2-phenylpyrimidin-5-ylmethyl) amino] phenyl}-acetamide;
- 3,3-Dimethyl-N-{2-methyl-4-[(2-phenylpyrimidin-5-ylmethyl) amino] phenyl}-butyramide;

  {4-[(5-Chloro-thiophen-2-ylmethyl) amino] 2-pyridin-3-yl-phenyl}-carbamic acid ethyl ester;

  1-Amino-cyclopropanecarboxylic acid [2-methyl-4-(4-trifluoromethyl-benzylamino) phenyl]-amide;
- {4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-pyridin-4-yl-phenyl}-earbamic acid ethyl ester;

  N-[2-Methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-2-piperidin-1-yl-acetamide;

  N-(4-{[5-(4-Chlorophenoxy)-1,3-dimethyl-1H-pyrazol-4-ylmethyl]-amino}-2-methylphenyl)-2,
  2-dimethylpropionamide;
- 2,2-Dimethyl-N-{2-methyl-4-[(6-phenoxypyridin-3-ylmethyl)-amino]-phenyl}-proprionamide;

  N-[2-Methyl-4-(4-trifluoromethyl-benzylamino)-phenyl]-2-pyrrolidin-1-yl-acetamide;

  [4-[(5-Chloro-thiophen-2-ylmethyl)-amino]-2-(6-methoxypyridin-3-yl)-phenyl]-earbamic acid ethyl-ester;
- 4-[(3 Methyl-4 propoxycarbonylamino phenylamino) methyl] benzoic acid methyl ester;
  N-[2 Methyl-4 (4 trifluoromethyl-benzylamino) phenyl] 2-morpholin-4-yl-acetamide;

Application Serial No. 10/550,448 (Attorney Docket No. 427-US-PCT) Response to Restriction Requirement Dated: May 7, 2008 Page 21 of 25

2,2 Dimethyl N {2 methyl 4 [(3 methyl 5 phenylisoxazol 4 ylmethyl) amino] phenyl} propionamide;

{4 [(5 Chloro thiophen 2 ylmethyl) amino] 2 iodophenyl}-carbamic acid ethyl ester;

N-{4 [(5 Chloro thiophen 2 ylmethyl) amino] 2 iodophenyl}-2 (4 fluorophenyl) acetamide; or

{4-[(5 Chloro thiophen 2 ylmethyl) amino] 2 quinolin-5-yl-phenyl}-carbamic acid ethyl ester;

or a salt thereof.

Claim 29 (previously presented) A pharmaceutical composition comprising one or more pharmaceutically acceptable carriers or diluents and a compound according to claim 1.

Claims 30-45 (cancelled).